

## Your Guide To Station Creation

#### - SPECIFICATION SHEET -

## 1 -2-3-4 Select base for toppings

Each base has a brushed stainless steel exterior to reduce the visibility of fingerprints. Insulated bases keep contents cool with ice or Universal Ice Packs 100515 (sold separately). Bases accept standard or slim jars (not included). NSF listed. 2 year warranty.

Standard Slim Jar	
Base & Jar Options1 Topping2 or 3 Toppings3 or 4 Toppings4, 5 or 6 ToppingsCountertop Non-Insulateda SR-1 84090SR-2 82570SR-3 82600d SR-4 82550Countertop Insulatedb SB-1 87510SB-2 80160c SB-3 83760SB-4 83600Drop-In InsulatedSB-3 83760SB-4D1 83620SB-4D1 83620	
Base & Jar Options1 Topping2 or 3 Toppings3 or 4 Toppings4, 5 or 6 ToppingsCountertop Non-InsulatedaSR-1 84090SR-2 82570SR-3 82600d SR-4 82550Countertop InsulatedbSB-1 87510SB-2 80160cSB-3 83760SB-4 83600Drop-In InsulatedSB-1 87510SB-2 80160cSB-3 83760SB-4 83620Drop-In InsulatedSB-1 8070SB-2 80160SB-4 83600SB-4 83620Drop-In InsulatedSB-1 8070SB-4 8070SB-4 8070SB-3 83760SB-4 8070SB-4 8070SB-4 8070Drop-In InsulatedSB-1 8070SB-4 8070SB-4 8070SB-3 8370SB-4 8070SB-4 8070SB-4 8070SB-3 8370SB-4 8070SB-4 8070SB-4 8070Drop-In InsulatedSB-1 8070SB-4 8070SB-4 8070SB-3 8070SB-4 8070SB-4 8070SB-4 8070SB-3 8070SB-4 8070<	
Countertop Insulated   b   SB-1 87510   SB-2 80160   c   SB-3 83760   SB-4 83600     Drop-In Insulated   SB-3DI 83830   SB-4DI 83620	;
Drop-In Insulated SB-3DI 83830 SB-4DI 83620	
	i
a b c d	weight

order amt	model/item	application	description	base capacity	dimensions (HxWxD)	weight
a	<u>SR-1 84090</u>	8	*1-jar base, countertop	(1) fountain jar	10" x 5 <sup>1</sup> / <sub>2</sub> " x 8"	4 lb
b	<u>SB-1 87510</u>	۲	*1-jar base, countertop	(1) fountain jar (1) ice pack**	12 <sup>5</sup> / <sub>16</sub> " x 6 <sup>13</sup> / <sub>16</sub> " x 9 <sup>1</sup> / <sub>8</sub> "	5 lb
	<u>SR-2 82570</u>	8	*2-jar base, countertop	(2 or 3) fountain jars	10" x 10 <sup>7</sup> /8" x 8 <sup>13</sup> / <sub>16</sub> "	5 lb
	<u>SB-2 80160</u>	۲	*2-jar base, countertop	(2 or 3) jars & (2) ice packs 100515	12 <sup>5</sup> / <sub>16</sub> " x 10 <sup>7</sup> / <sub>8</sub> " x 8 <sup>13</sup> / <sub>16</sub> "	8 lb
	<u>SR-3 82600</u>	8	*3-jar base, countertop	(3 or 4) fountain jars	10" x 15 <sup>1</sup> / <sub>2</sub> " x 8 <sup>13</sup> / <sub>16</sub> "	7 lb
c	<u>SB-3 83760</u>	- 🛞 🏶 -	*3-jar base, countertop	(3 or 4) jars &	12 <sup>5</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>2</sub> " x 8 <sup>13</sup> / <sub>16</sub> "	— 11 lb
	<u>SB-3DI 83830</u>	- 🕲 🐨 -	*3-jar base, drop-in (DI)	(3) ice packs 100515	cutout dim: 15 <sup>5</sup> /8" x 8 <sup>7</sup> /8"	ui i i —
d	<u>SR-4 82550</u>	8	*4-jar base, countertop	(4, 5 or 6) fountain jars	10" x 20 <sup>1</sup> / <sub>8</sub> " x 8 <sup>13</sup> / <sub>16</sub> "	8 lb
	<u>SB-4 83600</u>	- 🛞 🏶 -	*4-jar base, countertop	(4, 5 or 6) jars &	12 <sup>5</sup> / <sub>16</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 8 <sup>13</sup> / <sub>16</sub> "	12 lb
	<u>SB-4DI 83620</u>		*4-jar base, drop-in (DI)	(4, 5 or 6) jars & (4) ice packs 100515	cutout dim: 20 1/4" x 8 7/8"	14 lb

\*Jar number in model and description is based on standard fountain jars. \*\* Use ice or (1) generic ice pack with a maximum dimension of 6" x 4" x 1".





APP

AMBIENT



# 1-2-3-4 Choose jars to fit base capacity

#### **HOW MANY JARS?**

Refer to base capacity for jar types. Slim jars allow you to serve more flavors without taking up additional counter space. NSF listed. Two-year warranty.



#### **FOUNTAIN JARS**

	order amt	jar color	item	description	outline	capacity	dimensions (HxWxD)	
f			<u>82557</u>					
			<u>83149</u>	standard, deep fountain jar			3 1/2 qt	10" x 4 <sup>9</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>2</sub> "
			<u>83156</u>					
			<u>82558</u>		$\square$			
g			<u>83147</u>	standard, shallow fountain jar		2 qt	7 1/2" x 4 9/16" x 7 1/2"	
			<u>83148</u>					
h			<u>83182</u>	slim, deep fountain jar	$\square$			
			<u>83159</u>			2 qt	10" x 3 <sup>1</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>2</sub> "	
			<u>83162</u>					
			<u>83181</u>	- slim, shallow fountain jar	$\square$	11/	71/ 01/ 71/	
			<u>83157</u>			1 1/2 qt	7 <sup>1</sup> /2" X 3 <sup>1</sup> /16" X 7 <sup>1</sup> /2"	



Orange jars call out potential allergens

Server fountain jars are made of high-impact polypropylene. Note jar size and type for pump or ladle selection.



CREATE YOUR STATION FOR MAXIMUM EFFICIENCY SERVER-PRODUCTS.COM | 800.558.8722 | 262.628.5600





## 1-2-3-4 Select pumps and/or ladles

#### **PUMPS**

Consistently serve with portion-controlled, stainless steel pumps; adjustable in 1/8 oz increments. Designed with food types in mind - use the Dispenses Key to narrow your search. Thick Pump (TP) models reduce dispensing force needed for especially thick or crafted sauces. NSF clean-in-place certified. Two-year warranty.



	order amt	base type	dispenses	model/item	pump & lid fit (jar not incl.)	full portion
		Countarton	۵ ۵	<u>CP-200 83300</u>	shallow	1 oz
а		Countertop		FP-200V 82130	fountain jar, 2 qt	T OZ
b				<u>CP-F 83330</u>		
		Countertop		<u>FP-V 82120</u>	deep fountain jar,	1 1/4 OZ
				<u>TP-V 86760</u>	3 1/2 qt	
				<u>TVP-L 80879*</u>		1 oz
c		Drop-In		FPV-DI 82520	deep fountain jar, 3 ½ qt	1 <sup>1</sup> / <sub>4</sub> 0Z
		Countertop		FP-200V Slim 85310	slim shallow fountain jar, 1 ½ qt	1 oz
		Countarton		<u>CP-F Slim 85340</u>	slim deep	1 <sup>1</sup> /4 0Z
d		Countertop		<u>FP-V Slim 85300</u>	fountain jar, 2 qt	1 '/4 OZ

Dispensing large portions or using a slanted fountainette? \*Support bracket (100001) prevents tipping when used in SR-2, SR-3 or SR-4 bases.

#### LADLES

Perfect for serving dry or difficult-to-pump ingredients. Stainless steel construction with a 1 oz capacity.

	order amt	item	description	
е		<u>82561</u>	fountain jar ladle, 10" handle, 1 oz	0
		<u>82562</u>	fountain jar ladle, 7" handle, 1 oz	C C
f		82976	slim fountain jar ladle, 10" handle, 1 oz	
		<u>82977</u>	slim fountain jar ladle, 7" handle, 1 oz	

#### **COLORED KNOBS**

Interchangeable engraved and colored knobs help staff and patrons identify contents, coordinate with store themes or promote branded products. Specify color and text at time of order.

### CREATE YOUR STATION FOR MAXIMUM EFFICIENCY SERVER-PRODUCTS.COM | 800.558.8722 | 262.628.5600

all

Be sure to select the correct pump for your jar - pumps for shallow jars have a shorter cylinder than those for deep jars а CP models (b) have unformed tube ends, whereas FP models (c) have formed ends to hold back thin product drips b DI models have a 3-inch-taller spout for additional serving clearance d

SEE TABLE FOR APPLICABLE TRAITS BY MODEL THIN fountain syrups • oils • hot sauce

THICKER

THICK ketchup • mustard • mayo • bbq

tartar sauce • crafted sauces

DISPENSES KEY

()



# 1-2-3-4 Select lids and other accessories

#### **LIDS & ACCESSORIES**

order am	t item	description	jar style
g	<u>80310</u>	clear plastic hinged lid	
h	82559	stainless steel lift-off lid	
i	82545	stainless steel hinged lid	standard
j	81415	stainless steel disher lid	
k	80443	stainless steel lid lock	
I	83214	clear plastic hinged lid	
m	<u>83189</u>	stainless steel lift-off lid	slim
n	<u>83184</u>	stainless steel hinged lid	
0	<u>100515</u>	universal ice pack	either

Use ice packs with an insulated base to keep product cool for up to 4 hours







#### **FROYO TOPPING STATION**

item	description
(1) SR-4 82550	non-insulated base (holds 6 slim jars)
(6) 83182	slim fountain jars, 2 qt
(2) FP-V 85300	syrup pumps, slim
(4) 83214	clear hinged lids
(4) 82976	(deep jar) ladles

Can be tricky.

Station creation

800.558.8722 or spsales@server-products.com.



m

k

CONDIMENT STATION COMES COMPLETE WITH:			
item	description		
(1) SR-4 82550	non-insulated base (holds 4 standard, deep fountain jars)		
(4) 83149	standard, deep fountain jars, 3 1/2 qt		
(4) CP-F-83330	fountain jar pumps, deep		

### CREATE YOUR STATION FOR MAXIMUM EFFICIENCY SERVER-PRODUCTS.COM | 800.558.8722 | 262.628.5600

